


DESKTOP



MOBILE

KBB.com's Advertising Specifications

# Simplified Native – Branded Showcase

**Note: Custom Ad Solution**

Last updated: March 26, 2024



# Description

Reach target audiences across KBB.com to personalize your creative message and reach shoppers with relevant messaging. The Simplified Native Branded Showcase offers creative messaging flexibility such as highlighting vehicle features, vehicle launch messages, or current offers on different tabs.

## Media Specifications

<b>Pages</b>	Homepage Category SLPs Car Finder SLP Year, Make, Model Page (YMM) Year, Make, Model, Trim Page (YMMT)
<b>Duration</b>	Any
<b>Share of Voice</b>	CAMP 360
<b>Geography</b>	National DMA
<b>Ad Serving</b>	Site served
<b>Lead Time</b>	5 business days
<b>Device</b>	Desktop Tablet Mobile
<b>Dimensions</b>	Custom
<b>Frequency Capping</b>	No frequency capping
<b>Additional Notes</b>	No fourth-party pixels or calls may be added to ad tags without the prior written consent of Cox Automotive. Advertiser and/or agency is expressly prohibited from collecting any data from Cox Automotive, including website data and user behavioral data, without the prior written consent of Cox Automotive.



# Simplified Native – Branded Showcase

## Deliverable Specifications

### TABS:

- Two (2) tabs min, three (3) tabs max

### TAB COPY:

- 30 characters max, including spaces

### HEADER COPY:

- 30 characters max, including spaces

### BODY COPY:

- 146 characters max, including spaces

### CALL-TO-ACTION (CTA) COPY:

- 16 characters max, including spaces

### OEM DISCLAIMER COPY (Optional):

- Disclaimer Text: 45 characters max, including spaces
- Disclaimer CTA: 16 characters max, including spaces
- Disclaimer Overlay Header: 21 characters max, including spaces
- Disclaimer Overlay Text: 1000 characters max, including spaces

### IMAGE:

- Jelly Image: 3/4 right-facing preferred, high resolution 940×536 PNG on transparent background; or high resolution 1920×1080 PNG on transparent background for internal resizing
- Lifestyle Image: 940×536, high-resolution, JPG; or high resolution 1920×1080 JPG for internal resizing

### LOGO:

- Vertical: High resolution 210×120 PNG on transparent background; or high resolution 1920×1080 PNG on transparent background for internal resizing; Positive logo (for use on light backgrounds) and Negative logo (for use on dark backgrounds)
- Horizontal: High resolution 270×105 PNG on transparent background; or high resolution 1920×1080 PNG on transparent background for internal resizing; Positive logo (for use on light backgrounds) and Negative



logo (for use on dark backgrounds)

**TAGS:**

- One impression tag
- One click tag for each CTA: Redirects to OEM site

